

This is an author version of the paper:

Tomáš Krajník, João Santos, Bianca Seemann, Tom Duckett

**FROctomap: An Efficient Spatio-Temporal Environment Representation**

Advances in Autonomous Robotics Systems, LNCS Series, Springer 2014.

DOI: 10.1007/978-3-319-10401-0.

The final publication is available at Springer websites via  
<http://dx.doi.org/10.1007/978-3-319-10401-0>.

### **Copyright notice**

The copyright to the Contribution identified above is transferred to Springer-Verlag GmbH Berlin Heidelberg (hereinafter called Springer-Verlag). The copyright transfer covers the sole right to print, publish, distribute and sell throughout the world the said Contribution and parts thereof, including all revisions or versions and future editions thereof and in any medium, such as in its electronic form (offline, online), as well as to translate, print, publish, distribute and sell the Contribution in any foreign languages and throughout the world.

# FROctomap: An Efficient Spatio-Temporal Environment Representation

Tomáš Krajník, João Santos, Bianca Seemann, and Tom Duckett

Lincoln Centre for Autonomous Systems, University of Lincoln, UK  
{tkrajnik, jsantos, tduckett}@lincoln.ac.uk, {biaseemann}@gmail.com

We present a novel software tool intended for mobile robot mapping in long-term scenarios. The method allows for efficient volumetric representation of dynamic three-dimensional environments over long periods of time. It is based on a combination of a well-established 3D mapping framework called Octomaps [1] and an idea to model environment dynamics by its frequency spectrum [2]. The proposed method allows not only for efficient representation, but also reliable prediction of the future states of dynamic three-dimensional environments. Our spatio-temporal mapping framework is available as an open-source C++ library and a ROS module [3] which allows its easy integration in robotics projects.

In order to act intelligently, an agent has to be able to reason about its surroundings and thus needs to model its environment. In mobile robotics, suitable world representation is an essential component that allows an intelligent robot to make decisions, plan future actions, estimate its location and cooperate with others. So far, the environment models used in mobile robotics have been tailored to represent static scenes and treat environment dynamics as unwanted noise. Thus, the research was aimed at efficient acquisition, representation and usage of static environment models.

One of the most popular environment representations is an occupancy grid, which allows for efficient probabilistic sensor fusion, motion planning, localization and exploration. The main drawback of occupancy grids is their low-memory efficiency because they represent large, empty areas of the environment by a large amount of empty cells. This is mitigated by the so-called Octomap [1] framework, that locally adapts the grid resolution to the level of detail required. The authors of Octomap show that the method can represent large-scale environments with a fine level of detail on standard computational hardware.

In order to act efficiently in changing environments, the robots need to model the environment dynamics as well. Since it is infeasible to store all the observations a robot makes over long periods of time, one has to represent the temporal domain in an efficient way. The work in [4] represents the environment by multiple temporal models, each representing a different timescale. The authors of [5] cluster the observations according to their similarity and create ‘experiences’ that capture the different appearances of the same spatial locations. The authors of [6, 2] propose to use an occupancy grid and model the dynamics of individual cells independently. While [6] represents the occupancy of each cell with a hidden Markov model, [2] assumes that the variations observed are caused by hidden processes that are naturally periodic and identifies them by means of a Fast Fourier Transform. The authors of [2] show that their method (called

FREMen) achieves compression of the model’s temporal domain by rates up to  $10^6$  while predicting the environment states with 90% accuracy.

We represent the occupancy of the cells stored in the Octomap by the spectral model proposed in FREMen. Thus, the efficiency of Octomap to model large spatial scales and the efficiency of FREMen to represent long periods of the time are combined in an efficient spatio-temporal environment model.

We consider the occupancy of each cell (voxel) stored in an Octomap as a binary function of time, i.e. the occupancy of  $i^{th}$  cell is represented as  $s_i(t)$ . The approach in [2] considers the  $s_i(t)$  as being influenced by a set of naturally periodic processes and proposes to represent  $s_i(t)$  by a probabilistic function of time, which is a combination of harmonic functions which reflect the most prominent periodic processes that constitute the environment dynamics. Technically speaking, FREMen represents each function  $s_i(t)$  by a set of the  $n$  highest values of its frequency spectrum  $S_i(\omega)$  obtained by Fast Fourier transform and a  $\Delta$ -encoded set  $\mathcal{O}$  that represents time intervals where the Inverse Fourier Transform of  $S_i(\omega)$  does not equal the original function  $s_i(t)$ , i.e.

$$s(t) = (\mathcal{IFT}(\mathcal{P}(\omega)) > 0.5) \oplus (t \in \mathcal{O}), \quad (1)$$

where  $\oplus$  is a XOR operation. The FREMen model of each Octomap voxel is built iteratively; each time a state  $s_i(t)$  is measured, Eq. (1) is calculated and if the observed occupancy does not equal (1), the time  $t$  is added to the outlier set  $\mathcal{O}$ . Whenever the set  $\mathcal{O}$  grows too large, the spectrum  $S_i$  can be recalculated, which results in reduction of  $\mathcal{O}$ . Since Eq. (1) can be calculated for any value of  $t$ , (1) can be used to predict the state  $s_i(t)$  as well.

Thus, our system takes a series of Octomaps observed over time and builds a temporal model of each observed voxel. After that, the system allows to calculate the state of the individual voxels and recover the Octomap for any given time.

We have applied the proposed approach to data collected in an office environment for a period of one week. The dataset consisted of 120960 Octomaps each representing 213192 spatial cells. The proposed system stored the spatio-temporal model in a 2MB file achieving a compression rate of 1:10000. Comparing the model’s predictions to day-long measurements performed two weeks later showed that the model predicted the environment states with 98% accuracy.

**Acknowledgement** The work is funded by the EU project 600623 ‘STRANDS’.

## References

1. Hornung, A., et al.: OctoMap: An efficient probabilistic 3D mapping framework based on octrees. *Autonomous Robots* (2013)
2. Krajník, T., et al.: Spectral analysis for long-term mapping. In: ICRA. (2014)
3. Krajník, T., et al.: (Froctomap) <http://purl.org/robotics/froctomap>.
4. Biber, P., et al.: Dynamic maps for long-term operation of mobile service robots. In: *Robotics: Science and Systems*. (2005)
5. Churchill, W., et al.: Experience-based navigation for long-term localiz. *IJRR* (2014)
6. Tipaldi, G.D., et al.: Lifelong localization in changing environments. *IJRR* (2013)

# FROctomap: An Efficient Spatio-Temporal Environment Representation

Tomáš Krajník, João Santos, Bianca Seemann, Tom Duckett  
 {tkrajnik, jsantos, tduckett}@lincoln.ac.uk, {biaseemann}@gmail.com

Lincoln Centre for Autonomous Systems, University of Lincoln, UK



## Introduction

- A novel method for **long-term** mobile robot mapping.
- Aimed at efficient volumetric representation of **long-term dynamics** of large-scale three-dimensional environments.
- Allows for reliable **prediction** of the environment future states.
- Available as an open-source Robot Operating System package [1].

## Motivation

- Most of the environment models used in the mobile robotics domain have been tailored to represent large, but **static** scenes.
- Environment dynamics were treated as unwanted **noise**.
- Previous research has focused on methods for efficient acquisition, representation and usage of **static** environment models.
- Incorporating **dynamics** into the robot's environment model improves its ability to reliably operate for long periods of time [2].

## Static environment models

- Many world models consist of discrete components with **binary states**, e.g. cell occupancy, edge traversability, landmark visibility
- Conflicting observations of  $i^{\text{th}}$  state are aggregated in a probability  $p_i$  that remains **constant** until a new observation is made.

## Frequency Map Enhancement


- **FreMEN** considers the probability of each environment state as a function of time  $p(t)$ .
- The function  $p(t)$  is represented by the **most prominent** components of its **frequency spectrum**  $P(\omega)$ .
- $P(\omega)$  is calculated by Fourier transform from the state's past observations.

$$P(\omega) \approx FT(s(t)) \quad p(t) = IFT(P(\omega))$$

- **FreMEN** can introduce dynamics into static environment models.
- Can represent **millions of observations** by a **few parameters** [3].
- Reliably **predicts** environment states and **detects anomalies** [3].
- **Improves** mobile robot **localization** in changing environments [2].


## OctoMap

- Efficient Octree-based probabilistic representation of large-scale three-dimensional environments [4].
- Locally adapts the occupancy grid resolution to the level of detail required.



## FROctoMap


The efficiency of OctoMap to model large **spatial** scales and the efficiency of FREMen to represent **long periods of time** are combined in a novel spatio-temporal environment model.




Observed occupancy  $s(t)$  of each Octomap voxel is represented by its frequency spectrum  $P(\omega)$  and an outlier set  $O$ :

$$s(t) = (IFT(P(\omega)) > 0.5) \oplus (t \in O)$$

Allows to retrieve or predict the environment states for a given time.




April 7<sup>th</sup> 11:00am (retrieved)



April 7<sup>th</sup> 11:00pm (predicted)

## Experiments

- OctoMaps of a small office created every 5 seconds for 8 weeks, i.e. 967680 grids with 213192 spatial cells  $\approx$  200 billion states.



- Collected data were processed by the FROctoMap method.
- $2.10^{11}$  states stored in a 2 MB file - compression rate 1 : 100 000
- FROctoMap lossy compression caused 1-3% reconstruction error.

## References

- [1] Krajník *et al.*: (FROctoMap) <http://purl.org/robotics/froctomap>
- [2] Krajník *et al.*: *Long-term topological localisation for service robots in dynamic environments using spectral maps*. In IROS '14.
- [3] Krajník *et al.*: *Spectral analysis for long-term mapping*. In ICRA '14.
- [4] Hornung *et al.*: *OctoMap: An efficient probabilistic 3D mapping framework based on octrees*, Autonomous Robots (2013).